## DECLARATION OF PERFORMANCE

according to Regulation (EU) 305/2011

## No. B006-CPR-2013/07/01

1) Unique identification code of the product-type: Room heater burning solid fuel without hot water supply EN 13240:2001/A2:2004/AC:2007

2) Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): "Model EKONOMIK Im" Fireplace stoves burning wood made by BLIST d.o.o. are designed for heating and additional heating of residential and social rooms, i.e. standard environment without the explosion hazard and the presence of volatile substances. The fireplace stoves are designed for interrupted operation.

## Basic technical specifications of fireplace stoves

Туре	Main dimensions (mm)			Weight	Rated	Fuel consumption	Flue diameter	Operating draught
	Height	Width	Depth	(kg)	capacity (kW)	(kg/hour)	(mm)	(Pa)
EKONOMIK Im	900	330	360	38	6.5	2.7	120	12

3) Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Room heater burning solid fuel without hot water supply

Appliances are determined for intermittent operation. According to ČSN EN 13240/A2 Table 1 -"Sorting of appliances" it concerns products 1a.

4)Name, registered trade name or registered trademark and contact address of the manufacturer as required pursuant Article 11 (5):

BLIST d.o.o.

Belosevac bb

14000 Valjevo

Serbia

- 5) Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2):
- 6) System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 3 (Annex V, Clause 1.4 of Regulation 305/2011 of the European Parliament and of the Council of 9 March 2011)

7) The Declaration of Performance concerning a construction product covered by a harmonised standard: (ČSN)EN 13240:2001 /A2:2004/AC:2007

The assessment acc. to System 3 has been carried out by Strojirenský zkušební ústav, s.p., Hudcova 424/56b, 621 00 Brno, Notified Body 1015, which issued the Report on Initial Type Testing 30-9839 of 2008-11-28.

## 8) Peclared performance

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007					
Essential characteristics	Performance					
	Firesafety					
Reaction to fire	A1 .					
Distance to combustible materials	Minimum distances, in mm rear = 400 sides = 400 ceiling = 1500 front = 800 floor = 800					
Risk of burning fuel falling out	Pass					
Emission of combustion products	CO (at 13% O <sub>2</sub> ) [0.982 %]					
Surface temperature	Pass .					
Electrical safety	Pass					
Cleanability	Pass					
Maximum operating pressure	-					
Flue gas temperature at nominal heat output	T [240 °C]					
Mechanical resistance (to carry a chimney/flue	NPD					
	Thermal output					
Nominal heat output	6,5 kW					
Room heating output	6,5 kW					
Waterheating output	-					
Energyefficiency	[74 %] 🗆					

9) The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

ThisDeclaration of Performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Mr. Branislav Stojnic, technical director

In Valjevo, 11.07.2013.